

Price for Bozon devices and auxiliary devices,

accessories and material



*Medical ozone generators in the world produce only gaseous ozone-oxygen mixture. The Bozon generators are totally different because they provide six automated procedures for the practice of ozonotherapy: These procedures are:*

**MAHT  
Minor MAHT  
Rectal Insufflation  
Vaginal Insufflation  
Intravenous injection of ozonated saline solution  
Ozonated Water  
Ozonated Oil**

**The Bozon family is unique in the world of medical ozone generators which has a double format of concentration of ozone in ozone-oxygen mixture and water environments (the distilled water, saline solution). Family Bozon devices have a built in measuring instruments of speed of a stream of gas, pressure of gas and concentration of ozone in gas and water. All of the generators are automated.**

### Technical characteristics ozonetherapeutical device Bozon

Kinds of supported procedures	Autohemotherapy major, Autohemotherapy minor, intravenous infusion ozonated saline solution, Preparation of ozonated water and ozonated oil, rectal and vaginal insufflation, application ozone on skin hand and foot, subcutaneous injection of ozone.
Way of installation of initial parametres (concentration of ozone in gas, or a saline solution, speed of a stream of gas, volume and procedure time)	digital form built in keyboard or remote panel.
Form of measurement of a concentration of ozone in gas and water	UV- photometric
Form of measurement of the flow and pressure of gas	semi-conductor differential manometer
Stabilisation of parametres of procedure	program
Range of concentration of ozone in an ozono-oxygen mix	0.5 – 120 mg/litre
Relative error of measurement of concentration of ozone in an ozono-oxygen mix	<10%
Range of concentration of ozone in water	0.5-30 mg/litre
Relative error of measurement of concentration of ozone in an ozono-oxygen mix	<10%
Range of speed of a stream ozono-oxygen on a device exit	0.1 – 2 litre/ min
Relative error of measurement of speed of a stream of an ozono-oxygen mix	< 10%
Productivity of the device gramme/hour	>6 gramm/hour
Pressure of oxygen upon a device input	0,15-0,2 mPa
Service life of a reactor of the generator of ozone	> 10000 hour
Power consumption	<150 watt
The sizes of the device	350*110*450
Device weight	8 kg

## Functionality and metrology, advantages ozonetherapeutical device Bozon

Kind of ozonotherapy procedure	Feature of Bozone-N device		Features of the best world samples of devices for ozonotherapy			
	Metrology	automatic	metrology	automatic		
Autohemotherapy major	conc.O <sub>3</sub> in gas	full	full	full	full	
	doze O <sub>3</sub>	Full	full	Manual calculate	none	
	blood	Blood exit				
		Blood returning				
Ozonated saline solution	conc.O <sub>3</sub> in gas	full	full	full	full	
	conc.O <sub>3</sub> in saline solution	At a preparation stage	Exact demanded value	full Only one manufacturer in the world (Medozon, Russia)	none	
		During intravenous procedure	Maintenance of exact value during all time of procedure	none	none	
Preparing ozonated oil	conc.O <sub>3</sub> in gas	full	full	full	full	
	conc.O <sub>3</sub> in oil	Calculation under the empirical formula	full	none	none	
Preparing ozonated water	conc.O <sub>3</sub> in gas	full	full	full	full	
	conc.O <sub>3</sub> in water	full	full	Full Only one manufacturer in the world (Medozon, Russia)	none	
Rectal and vaginal insufflation	conc.O <sub>3</sub> in gas	full	full	full	full	
	flow	full	full	full	none	
	volume	full	full	Manual calculate	none	
Processing of ozone of a surface on a skin in plastic containers	conc.O <sub>3</sub> in gas	full	full	full	full	
	flow	full	full	full	none	
	volume	full	full	Manual calculate	none	



### Ozone therapeutic device "Bozon-N"

Complete

set:

The speed of a stream of gas is automatically adjusted within 0.2 - 1 l/min. It is applied to dispensing ozone-oxygen mixture in syringes, carrying out of procedures of MAHT, preparations ozonized saline solution, the ozonized distilled water and preparation of the ozonized oil. The generator can be delivered complete with the special concentrator of the highest clearing of oxygen. Installation use Bozon-N -SO, allows to you to work without oxygen cylinders.

**Price:2950 \$. (2000 for distributors, At purchase not less than 10 pieces)**

### Ozone therapeutic device "Bozon-N-SO" (self oxygen)

Installation Bozon-N-SO. Represents device Bozon-N integrated with independent an oxygen source (the oxygen concentrator) supplied with specially developed filter of finishing clearing of oxygen. The independent source of oxygen allows to receive 96 % oxygen (4 % inert gas - argon) the maintenance of dust particles less than 10 mikrogramm/cubic metre, humidity - 15 degrees of Celsius (dew-point), nitrogen of 0.5 %, CO2 <0.1 %

**Price:5300 \$. (4200 for distributors, At purchase not less than 10 pieces)**



### Ozone therapeutic device "Bozon-N+"

Complete set:

Generator of ozone - oxygen mixtures (OOM) with the built-in measuring device of the OOM flow and measuring device of ozone concentration in OOM.

The device is equipped by the measuring device of ozone concentration in water. Productivity of the device is 6 g/hr.

Concentration of ozone at the outlet is from 01 to 120 mg/l. It consists of three modules for ozonization of the physiological solution and module for preparation of the ozonized distillate; a device for ozonization of oils and taking the ozone-oxygen mixture in a syringe during conduction of small autohemotherapy; one-time plastic bag for conducting skin application; a set for rectal insufflation

**Price:4170 \$. (3750\$ for distributors,MOK 5 pieces)**





## Ozone therapeutic device "Bozon-N+color"

Complete set:

Generator of ozone - oxygen mixtures (OOM) with the built-in measuring device of the OOM flow and measuring device of ozone concentration in OOM.

The device is equipped by the measuring device of ozone concentration in water. Productivity of the device is 6 g/hr.

Concentration of ozone at the outlet is from 01 to 120 mg/l. It consists of three modules for ozonization of the saline solution and module for preparation of the ozonized distillate; a device for ozonization of oils and taking the ozone-oxygen mixture in a syringe during conduction of small autohemotherapy; one-time plastic bag for conducting skin application; a set for rectal insufflation,

Generator have color LCD-display and guided by the remote control.

**Price: 4560 \$.(4100\$ for distributors, MOK 5 pieces)**



## Ozone therapeutic device "Bozon-NK"

The automated work place (AWP) of ozone therapist, with the local information-reference system of ozone therapist (ISSO2).

"ISSO2" has the databases of hospital case histories, autoindications and literature on ozone therapy.

The device is equipped with the measuring device of concentration in water. Productivity of the device is 6 g/hr. Concentration of ozone at the outlet is from 0.1 to 120 mg/l. It consists of three modules for ozonization of the saline solution and module for preparation of the ozonized distillate; a device for ozonization of oils and taking the ozone-oxygen mixture in a syringe during conduction of small autohemotherapy; one-time plastic bag for conducting skin application; a set for rectal insufflation.

**Price: 5000 \$.(4500\$ for distributors, MOK 5 pieces)**



### Module "Bozon MOD

Complete set:

The device is intended for preparation of the ozonized distilled water with the known concentration.

**Price: 200\$. (180\$ for distributors,MOK 5 pieces)**



### Module "Bozon MOF"

Complete set:

Device is intended for measuring ozone concentration in the saline solution during the OPhS preparation and maintenance of the concentration during conducting intravenous infusion of the ozonized saline solution.

**Price: 180 \$. (160\$ for distributors,MOK 5 pieces)**



### Module "Bozon MOO

Is used for preparation of the ozonized oil in the module MOO.

**Price: 70 \$. (50\$ for distributors,MOK 5 pieces)**



### Module "Bozon-LOR"

Complete set:

The Module "BOZON-LOR" is a device for ozone therapy of otitis, maxillary sinusitis by a method of ozone application inside the ear by catalytic deozoneator. It allows to make application of ozone- oxygen mixture inside the ear at high concentration (10-100mg/l) without air pollution of a premise by ozone.

**Price: 100 \$.(80\$ for distributors,MOK 5 pieces)**

### Module "Bozon-INGA"

Complete set:

The Module "BOZON-INGA" is intended for inhalation of ultrasonic hydrosol of ozonides.

**Price: 600 \$.(530\$ for distributors,MOK 5 pieces)**

### Measuring instrument "Bozon-DFG"

Complete set:

The measuring instrument "BOZON-DFG" is intended for measurement of ozone concentration in gas, salin solution and distillate.

**Price: 900 \$.( 820\$ for distributors,MOK 5 pieces)**

### Module "Bozon-BAGTO-LAZER"

Complete set:

The Module "BOZON-BAGTO-LAZER" is an automated device for carrying out big autohemotherapy. There is a reverse peristaltic pump with the executive mechanism of cam type and a microprocessor control system. The application of the module "BOZON-BAGTO-LAZER" considerably (up to four times) reduces time of conducting the procedure. It sharply reduces traumatism of BAHT procedures due to the use of a 0.7 mm needle for taking blood. The device has the built in regulator of blood flow velocity, the timer and safety system preventing the possibility of air breakthrough into the vein during reinfusion of the ozonized blood. It is protected by patents of Ukraine and Russia

**Price: 1220 \$.(1100\$ for distributors,MOK 5 pieces)**



### Module "Bozon-SNEG-3"

Complete set:

The Module "BOZON-SNEG-3" is intended for strengthening of salin effect and controlling painful reactions in patients during hypodermic injections of OOM by means of the combined influence of cold analgesia and influences of microcurrents. During tests it has shown a possibility of sharp increase in ozone concentration in hypodermic injections without strengthening pain of an injection. It is protected by patents of Ukraine and Russia.

**Price: 810 \$. (730\$ for distributors, MOK 5 pieces)**

### Module "Bozon-PORT"

Complete set:

The Module "Bozon PORT " incorporates the valve from the ozone-resistant material allowing to fill a syringe with OOM quickly that substantially simplifies hypodermic injections of OOM. Stability of OOM concentration is achieved by a constant purging through the module, surplus of OOM gets into the destructor.

**Price: 120 \$. (100\$ for distributors, MOK 5 pieces)**

This ozonizer works for the total removal of bad smells of substances during defecation, and also in intervals between using a toilet. It has a gauge of position which automatically switches the ozonizer at the moment a person sits down on a toilet bowl. After that the ozone blows at the toilet bowl. The ozonizer can be used for water ozonization in a bath, disinfecting of bed-clothes, footwear and other purposes.

**Price: 180 \$. (120\$ for distributors, At purchase not less than 50 pieces)**





Ozonizer-ionizer for an air conditioning in premises. Provides removal of the extraneous smells, harmful flying substances and of dust. It kills microorganisms and a mould. It is intended for continuous work.

**Price: 140 \$.** (80\$ for distributors, At purchase not less than 50 pieces)

**Auxiliary material:** (price for distributors)

**Complete set for rectal ozonotherapy** (rectal insufflation of ozone-oxygen mixture)

**Price 2 \$ ( MOK <60 pieces), 1,5\$ (MOK >120 and <1000), 1\$ (MOK >1000).**



**Complete set for vaginal ozonotherapy "Bozon-VIN-100"** (vaginal insufflation of ozone-oxygen mixture, pure ozonide oil or vaginal instillation of ozonized water)

**Price 12 \$ (MOK <60), 10\$ (MOK >120 and <1000), 8\$ (MOK >1000).**



Destructor ozone for carrying out of procedures in which are used "Bozon-VIN-100"

**Price 25\$**





Complete set for autohemotherapy major

Price 3\$(MOK<60), 2\$(MOK>120 and <1000), 1,5\$(MOK>1000)

Needle for preparation ozonized saline solution :



Europe –

Price 5\$(MOK≤100), 4\$(MOK>100), two channel needle for plastic bottle,

USA, Latin America –

Price 6\$(MOK≤100), 4\$(MOK>100) three channel needle for glass bottle.

### Products and sets based on use pure ozonides

Pure ozonides oil 25 ml:



OzonoVita Medium peroxide number = 400

Price 5 \$ (MOK≤100) 4\$( MOK >1000)

OzonoVita Forte peroxide number = 800

Price 10 \$ ( MOK ≤100) 6\$( MOK >1000)

OzonoVita SuperForte peroxide number = 1200

Price 14 \$ ( MOK ≤100) 8\$( MOK >1000)



**Means for treatment of illnesses of gums (packaging in airless bottle,30 ml):**

**“OzonoVita-Denta”**

**Price 25\$.**



**Face cream (packaging in double-head airless bottle,30 ml):**

**”OzonoBella”**

**Price – 35\$.**



**Set for rectal or vaginal injection pure ozonides “Bozon- RVPO-600” (suppository)**

**Price 3\$(MOK≤1000), 2\$(MOK>1000)**



**Cosmetic balsam ”OzonoBella”**

100ml

**Price70\$**



**Means for treatment of illnesses of gums (packaging in airless bottle,100 ml):**

**“OzonoVita-Denta”**

**Price 65\$**



### **Medical body gel "OzonoBella"**

rich in ozonides, is created especially for a problem skin.

**Price 6\$**



### **Shampoo "OzonoBella"**

with ozonides is a soft washing material for dry and broken hair

275 ml

**Price 6\$**



### **Hair pack "OzonoBella"**

it prevents scurf formation, it restores hair structure.  
25ml

**Price 10\$**

*Prices trues before 1 June 2010)*

**CEO of SPE "Econika "**

**Prof., Dr.Sci, Eugeny Nazarov**